

Performing Arts Division – Technical Support Unit

Tuen Mun Town Hall 3 Tuen Hi Road NT, HK

Phone 852-2450 4202

Fax 852-2451 6335

## **CONTACTS**

**Danny LUK** Senior Manager (NTW)Venue **Direct Line** 852-2451 1489

Jason SIU Manager (TMTH/ Operation) Direct Line 852-2451 4421

Fax Line 852-2451 6335

# **Ruby TSUI**

Resident Technical Manager (NTW) rhmtsui@lcsd.gov.hk **Direct Line** 852-2450 6195 Fax Line 852-2441 9930

## **GENERAL SET-UP**

CA Hall operates on a 'bare-walls' touring policy. That is, all equipment is normally set-up and struck within the booking period. Hirers are reminded to allow sufficient preparation time to hang theatre masking, rig all overhead stage lighting and set up sound system. Check with our Technical Manager for any other equipment and technical enquiry.

# Tuen Mun Town Hall - Cultural Activities Hall **FULL** Technical Information

V. 2021.12.29 Page 1 of 5





The Cultural Activities Hall is an open stage platform theatre modestly equipped to stage Drama, Recital, Seminar and Variety performances. The venue seats 290 on a fixed tier.

# **DIRECTIONS**

West Rail Line. Tuen Mun Station. Exit B / F → Light Rail 505, 507, 751 /

Freeway (From South):

Route 3 (Toward Yuen Long, Sheung Shui direction) → Cheung Tsing  $\mathsf{Tunnel} \, \to \, \mathsf{Ting} \, \, \mathsf{Kau} \, \, \mathsf{Bridge} \, \to \, \mathsf{Tuen}$ Mun Road → Tuen Hi Road

Freeway (From East NT): Tolo Harbour Highway (Route 9) → Fanling Highway → Sha Tin Highway → Tsing Long Highway → Yuen Long Highway → Tuen Mum Road → Pui To Road → Tuen Mum Heung Sze Wui Road → Tuen Hing Road

Freeway (From North):

Tuen Hi Road

Castle Peak Road (Yuen Long) → Long Tin Road → Yuen Long Highway → Tuen Mum Road → Pui To Road → Tuen Mum Heung Sze Wui Road
 → Tuen Hing Road → Tuen Hi Road



# **LOADING**

Stairs from Ground level or podium Lift from Ground level or podium

2.00 x 1.70 x 2.20 m  $(W \times D \times H)$ 

# **STAGE ENTRANCE**

Front Entrance of CA Hall via Lift 1.75 x 1.50m (W x H)

#### **PARKING**

Permit required

V. 2021.12.29 Page 2 of 5

#### **AUDITORIUM**



Max. Total Seating: 290
The venue seats 290 on a fixed tier

# **ROOM SPACE**

 Width
 16.40 m

 Depth
 21.70 m

 Height
 4.80 m

**STAGE** 

Modular stage platform units 2.0 x 1.0 m (W x D)

Stage size  $10.0 \ x \ 5.0 \ x \ 0.76 \ m$ 

 $(W \times D \times H)$ 

If a flat floor is required, stage units must be trucked and re-set within the booking period

# **SIDE STAGE**

Limited area

# **REAR STAGE**

None

#### STORAGE SPACE

50 m<sup>2</sup> store area at annex room, SR of the hall

#### **CROSSOVER**

Rear of hall, 1.1m gap between the stage and the back wall

#### <u>RIGGING</u>

Red Colour Side Masking in both sides

Front projection screen located at the back wall of the stage 4.17 x 3.12m (W x H)

**Rigging System** 

A Hand Winch bar located the back of the stage


Height from stage platform 3.60m Length 9.60m

Pinrail

None

Side Bars

None



V. 2021.12.29 Page 3 of 5

STAGE EQUIPMENT

**Stage Drapery** 

Side Masking in both sides 2 Red

Black curtain 1 11 x 4.6m (W x L)

(Please allow time to rig the masking during booking time)

**Leg** 2 pairs 3.5 x 4.6m (W x L)

(Please allow time to rig the masking during booking time)

Front Projection Screen 1 Rolling Screen 4.17 x 3.12m

Acoustic Shell 1 set Wenger Travelmaster®

Choir Riser 2 3 Tiers Wenger Tourmaster®

Music Chair 25

Music Stand 25

Podium 1

Dancing Tile Black for main stage

for dance show only (Please allow time to lay the ties during booking time)

2 10.0 x 2.00m (W x D) 1 10.0 x 1.00m (W x D)

**Instrument** Baby Grand Piano 1 Kawai

Chinese drum 1

**Table** 2 1.38 x 0.76 x 0.74m (W x D x H)

**DRESSING ROOM** 

Annex

Stage right 2 rooms for 6-8 persons

Dressing room fitted with lockers and private toilet

Provision of iron & iron and steamers (available as

requested)

**LIGHTING** 

**Dimmer** 72 modules, ETC Sensor 3, 3kW capacity each.

**Control Board** ETC ION, with backup console, located in Lighting Control Room.

Remote

Control

Wireless remote control PDA

**Houselight** Dimmable control in Lighting Control Room.

**Circuit** 72 nos. 3kW outlets, located behind stage and lighting bar with 15Amp sockets.

V. 2021.12.29 Page 4 of 5

| Additional<br>Power           |   | 220 Volt / Single-phase, c/w 32 A 3 pin socket for temporary cable connection.  Connection must be conducted by a local registered electrical worker.  |               |   |          |                                |
|-------------------------------|---|--|---------------|---|----------|--------------------------------|
|                               |   | Hirer shall s<br>installation.   | supply adequa | te circuit protective devic   | es for   | all bring in electrical        |
|                               | 13A wall-mounted socket outlets at UK standard are provided on the stage. |  |               |   |          | n the stage.                   |
| Front of<br>House<br>Position |   | 1m from the edge of downstage with platform units: FOH rigging grid no.1, 3.88m throw at 28 degree FOH rigging grid no.2, 5.59m throw at 20 degree FOH rigging grid no.3, 7.35m throw at 15 degree FOH rigging grid no.4, 9.62m throw at 12 degree |               |   |          |                                |
| Profile                       | <b>)</b>  | 575W<br>168W   | ETC<br>ETC    | Source 4 Jr zoom 25/50<br>Source 4 LED Series 2<br>Lustr Zoom 25/50 | 10<br>28 | 10 spare<br>17 stage, 11 spare |
| LED<br>Light                  | Moving  | 100W   | Chavuet       | Rogue R1 BeamWash   | 28       | 22 stage, 6 spare              |
| Batten                        | 1   | RGBA 200W  | Altman        | LED Cyclorama Wash  | 3        | Stage                          |
| Other                         |   | Smoke  | Look          | Viper S   | 2        |                                |
|                               |   | generator<br>Music Light   | Solution      | (DMX controllable)  | 20       |                                |

Supply of above equipment subject to availability on receipt of a lighting plan.

Equipment availability does vary slightly according to equipment conditions and maintenance. Check with Technical Manager for any updates.

<u>Hirer will be provided with basic lighting only, from available hung equipment, if technical preparation time is less than 2 hours in the booking.</u>

All brought-in "Electrical and Stage Lighting Equipment" to be used in LCSD PA venues, shall meet the requirements of "Code of Practice for Electricity (Wiring) Regulations (2009 Edition)". Please contact the venue management for any electrical safety concern. Website reference:

http://www.emsd.gov.hk/emsd/eng/welcome/em\_safety.shtml

| SOUND         |   |                                   |
|---------------|---|-----------------------------------|
| Sound System  | d&B audiotechnik Vi 7P (main left & right) d&B audiotechnik Vi Sub (main left & right) d&B audiotechnik Vi10P (main centre) d&B audiotechnik 8S (ceiling delay loudspeaker) | 1 on each<br>1 on each<br>1<br>19 |
| Main Control  | Soundcraft Vi2000 Digital Mixing Console:   |                                   |
| Console       | Inputs  | 48                                |
|               | Outputs   | 32                                |
| Stage Monitor | d&B audiotechnik M6   | 4                                 |
|               | d&B audiotechnik E8   | 2                                 |
| Microphone    | AKG 414   | 2                                 |
|               | Neumann KM 184  | 4                                 |
|               | Neumann KMR 82i   | 2                                 |
|               | Neumann KMS 105   | 2                                 |
|               | Crown PCC 160   | 2                                 |
|               | Shure SM58 SW   | 2                                 |
|               | Shure BETA 57   | 4                                 |
|               | Shure BETA 58   | 4                                 |

V. 2021.12.29 Page 5 of 5

Wireless Shure UHF wireless mic system

Microphone Bodypack UR1 OR 4 sets

Handheld UR2 4

Max. 4 units with a minimum booking of 1 session (Incur extra charge)

CD Player DENON DN-C635 2

CD-CF recorder Tascam SS-CDR- 200 3

**LCD Projector** Panasonic PT-RZ 970 (10,000 ANSI Lumens) 1 (Extra cost required)

with ET-DLE170 or ET-DLE085 lens

**COMMUNICATION** 

One-channel Wired 4 sets
Intercom system Wireless 4 sets

Show relay system Close Circuit TV System

Prior to booking date, please confirm with Technical Manager for the availability of the equipment.

All required equipment will be set-up during the booking sessions; please allow adequate time for equipment set-up before performance or rehearsal